

# MİKROİŞLEMCİLİ ve TÜM ELEKTRONİK CİHAZLARIN UYGULAMALARI İLE İLGİLİ ÖNEMLİ NOTLAR

Elektronik cihazların özellikle mikroişlemcili cihazların yoğun olarak endüstride kullanılmaları ile birlikte klasik anlamda monte edilen panolarda çeşitli sorunlar yaşanmaktadır. Bu tür cihazların performanslarının yüksek olmasına yönelik cihazların monte edildiği panolarda bazı önlemlerin alınması zorunluluk haline gelmiştir. Aşağıda çok çeşitli dünya markası firmaların pano montajında önerdiği yöntemler sizlere sunulmaktadır.

## LÜTFEN BU NOKTALARA UYMAYA ÇALIŞINIZ!

1. Termokupl, Rezistans Termometre ve diğer sensör elemanlarında cihaz girişlerine gelen kablolar, besleme ve kumanda kablolarından olabildiğince uzak ve ayrı kanallarda taşınmalıdır.
2. Elektronik ölçü ve kontrol cihazlarının beslemeleri ekranlı bir izolasyon trafosu ile alınmalı, doğrudan hattan alınmamalıdır. Aynı pano içerisinde güç devreleri yer alıyor ise bunların kumanda gerilimi ekranlı ayrı bir izolasyon trafosundan alınmalıdır. Trafo ekranları topraklanmalı, izolasyon trafoları girişleri ayrı fazlardan alınmalıdır.
3. Birden çok elektronik cihaz kullanılıyorsa her cihazın besleme hattı ayrı ayrı çekilmelidir. Elektriksel gürültünün çok olduğu yerlerde besleme hattı üzerine ekranlı izolasyon trafosu ve hat filtresi konmalıdır.
4. Cihaz besleme hattına hiçbir kumanda devresi bağlanmamalıdır. Son kontrol elemanlarının besleme hattı mümkünse cihazın besleme fazından farklı fazdan alınmalıdır.
5. Röle, kontaktör selenoid vana, aşırı elektriksel gürültü üreten elemanların cihazlardan olabildiğince uzak yerleştirilmesine özen gösterilmelidir. Gerekliyorsa bunların bobinleri üzerine gürültüyü bastırarak RC devreler eklenmelidir.
6. AC Motor hız kontrol birimi kullanılan uygulamalarda, hız kontrol biriminden motora giden kablo mutlaka çelik boru veya çelik spiral içinde taşınmalı ya da ekranlı kablo kullanılmalıdır. Aksi takdirde bu kablonun sinyal hatlarının yakınından taşınması tüm uygulamalarda sorun yaratacaktır.

**NOT:** Yukarıdaki yaklaşımlar sadece ELİMKO cihazları için değil, TÜM ELEKTRONİK CİHAZLAR için geçerlidir.

# DOYMUŞ BUHAR VE DOYMUŞ SU ÖZELLİKLERİ

Press. psia	Temp. °F	Volume, ft <sup>3</sup> /lbm			Enthalpy, Btu/lbm			Entropy, Btu/lbm °F			Energy, Btu/lbm	
		Water	Evap.	Steam	Water	Evap.	Steam	Water	Evap.	Steam	Water	Steam
		v <sub>f</sub>	v <sub>g</sub>	v <sub>g</sub>	h <sub>f</sub>	h <sub>g</sub>	h <sub>g</sub>	s <sub>f</sub>	s <sub>g</sub>	s <sub>g</sub>	u <sub>f</sub>	u <sub>g</sub>
3208.2	705.47	0.05078	0.00000	0.05078	906.0	0.0	906.0	1.0612	0.0000	1.0612	875.9	875.9
3094.3	700.0	0.03662	0.03857	0.07519	822.4	172.7	995.2	0.9901	0.1490	1.1390	801.5	952.2
3000.0	695.33	0.03428	0.05073	0.08500	801.8	218.4	1020.3	0.9728	0.1891	1.1619	782.8	973.1
2708.6	680.0	0.03037	0.08080	0.11117	758.5	310.1	1068.5	0.9365	0.2720	1.2086	743.2	1012.8
2500.0	668.11	0.02859	0.10209	0.13068	731.7	361.6	1093.3	0.9139	0.3206	1.2345	718.5	1032.9
2365.7	660.0	0.02768	0.11663	0.14431	714.9	392.1	1107.0	0.8995	0.3502	1.2498	702.8	1043.9
2059.9	640.0	0.02595	0.15427	0.18021	679.1	454.6	1133.7	0.8686	0.4134	1.2821	669.2	1065.0
2000.0	635.80	0.02565	0.16266	0.18831	672.1	466.2	1138.3	0.8625	0.4256	1.2881	662.6	1068.6
1786.9	620.0	0.02466	0.19615	0.22081	646.9	506.3	1153.2	0.8403	0.4689	1.3092	638.8	1080.2
1543.2	600.0	0.02364	0.24384	0.26747	617.1	550.6	1167.7	0.8134	0.5196	1.3330	610.4	1091.4
1500.0	596.20	0.02346	0.25372	0.27719	611.7	558.4	1170.1	0.8085	0.5288	1.3373	605.2	1093.1
1326.17	580.0	0.02279	0.29937	0.32216	589.1	589.9	1179.0	0.7876	0.5673	1.3550	583.5	1099.9
1200.0	567.19	0.02232	0.34013	0.36245	571.9	613.0	1184.8	0.7714	0.5969	1.3683	566.9	1104.3
1133.38	560.0	0.02207	0.36507	0.38714	562.4	625.3	1187.7	0.7625	0.6132	1.3757	557.8	1106.3
1000.0	544.58	0.02159	0.42436	0.44596	542.6	650.4	1192.9	0.7434	0.6476	1.3910	538.6	1110.4
962.79	540.0	0.02146	0.44367	0.46513	536.8	657.5	1194.3	0.7378	0.6577	1.3954	532.9	1111.4
812.53	520.0	0.02091	0.53864	0.55956	512.0	687.0	1199.0	0.7133	0.7013	1.4146	508.6	1115.0
800.0	518.21	0.02087	0.54809	0.56896	509.8	689.6	1199.4	0.7111	0.7051	1.4163	506.7	1115.2
680.86	500.0	0.02043	0.65448	0.67492	487.9	714.3	1202.2	0.6890	0.7443	1.4333	485.4	1117.2
600.0	486.20	0.02013	0.74962	0.76975	471.7	732.0	1203.7	0.6723	0.7738	1.4461	469.5	1118.2
566.15	480.0	0.02000	0.79716	0.81717	464.5	739.6	1204.1	0.6648	0.7871	1.4518	462.4	1118.5
500.0	467.01	0.01975	0.90787	0.92762	449.5	755.1	1204.7	0.6490	0.8148	1.4639	447.7	1118.8
466.87	460.0	0.01961	0.97463	0.99424	441.5	763.2	1204.8	0.6405	0.8299	1.4704	439.8	1118.9
400.0	444.6	0.01934	1.1416	1.610	424.3	780.4	1204.6	0.6217	0.8630	1.4847	422.7	1118.7
381.54	440.0	0.01926	1.1976	1.2169	419.0	785.4	1204.4	0.6161	0.8729	1.4890	417.6	1118.5
308.780	420.0	0.01894	1.4808	1.4997	396.9	806.2	1203.1	0.5915	0.9165	1.5080	395.8	1117.5
300.0	417.35	0.01889	1.5238	1.5427	394.0	808.9	1202.9	0.5882	0.9223	1.5105	392.9	1117.2
250.0	400.97	0.01865	1.8245	1.8432	376.1	825.0	1201.1	0.5679	0.9585	1.5264	375.3	1115.8
247.259	400.0	0.01864	1.8444	1.8630	375.1	825.9	1201.0	0.5667	0.9607	1.5274	374.3	1115.7
200.0	381.80	0.01839	2.2689	2.2873	355.5	842.8	1198.3	0.5438	1.0016	1.5454	354.8	1113.7
195.729	380.0	0.01836	2.3170	2.3353	353.6	844.5	1198.0	0.5416	1.0057	1.5473	352.9	1113.5
153.010	360.0	0.01811	2.9392	2.9573	332.3	862.1	1194.4	0.5161	1.0517	1.5676	331.8	1110.6
150.0	358.43	0.01809	2.9958	3.0139	330.6	863.4	1194.1	0.5141	1.0554	1.5695	330.1	1110.4
120.0	341.27	0.01789	3.7097	3.7275	312.6	877.8	1190.4	0.4919	1.0960	1.5879	312.2	1107.6
117.992	340.0	0.01787	3.7699	3.7878	311.3	878.8	1190.1	0.4902	1.0990	1.5892	310.9	1107.4
100.0	327.82	0.01774	4.4133	4.4310	298.5	888.6	1187.2	0.4743	1.1284	1.6027	298.2	1105.2
89.643	320.0	0.01766	4.8961	4.9138	290.4	894.8	1185.2	0.4640	1.1477	1.6116	290.1	1103.7
80.0	312.04	0.01757	5.4536	5.4711	282.1	900.9	1183.1	0.4534	1.1675	1.6208	281.9	1102.1
70.0	302.93	0.01748	6.1875	6.2050	272.7	907.8	1180.6	0.4411	1.1905	1.6316	272.5	1100.7
67.005	300.0	0.01745	6.4483	6.4658	269.7	910.0	1179.7	0.4372	1.1979	1.6351	269.5	1099.6
60.0	292.71	0.017383	7.1562	7.1736	262.2	915.4	1177.6	0.4273	1.2167	1.6440	262.0	1098.0
50.0	281.02	0.017274	8.4967	8.5140	250.2	923.9	1174.1	0.4112	1.2474	1.6586	250.1	1095.3
49.200	280.0	0.017264	8.6267	8.6439	249.2	924.6	1173.8	0.4098	1.2501	1.6599	249.1	1095.1
40.0	267.25	0.017151	10.479	10.496	236.1	933.6	1169.8	0.3921	1.2844	1.6765	236.0	1092.1
35.427	260.0	0.017089	11.745	11.762	228.8	938.6	1167.4	0.3819	1.3043	1.6862	228.6	1090.3
30.0	250.34	0.017009	13.727	13.744	218.9	945.2	1164.1	0.3682	1.3313	1.6995	218.8	1087.9
25.0	240.07	0.016927	16.284	16.301	208.52	952.1	1160.6	0.3535	1.3607	1.7141	208.4	1085.2
24.968	240.0	0.016926	16.304	16.321	208.45	952.1	1160.6	0.3533	1.3609	1.7142	208.3	1085.2
20.0	227.96	0.016834	20.070	20.087	196.27	960.1	1156.3	0.3358	1.3962	1.7320	196.21	1082.0
17.186	220.0	0.016775	23.131	23.148	188.23	965.2	1153.4	0.3241	1.4201	1.7442	188.18	1079.8
15.0	213.03	0.016726	26.274	26.290	181.21	969.7	1150.9	0.3137	1.4415	1.7552	181.16	1077.9
14.696	212.00	0.016719	26.782	26.799	180.17	970.3	1150.5	0.3121	1.4447	1.7568	180.12	1077.6
11.526	200.0	0.016637	33.622	33.639	168.09	977.9	1146.0	0.2940	1.4824	1.7764	168.05	1074.2
10.0	193.21	0.016592	38.404	38.420	161.26	982.1	1143.3	0.2836	1.5043	1.7879	161.23	1072.3
8.0	182.86	0.016527	47.328	47.345	150.87	988.5	1139.3	0.2676	1.5384	1.8060	150.84	1069.2
7.5110	180.0	0.016510	50.208	50.225	148.00	990.2	1138.2	0.2631	1.5480	1.8111	147.98	1068.4
6.0	170.05	0.016451	61.967	61.984	138.03	996.2	1134.2	0.2474	1.5820	1.8294	138.01	1065.4
5.0	162.24	0.016407	73.515	73.532	130.20	1000.9	1131.1	0.2349	1.6094	1.8443	130.18	1063.1
4.7414	160.0	0.016395	77.27	77.29	127.96	1002.2	1130.2	0.2313	1.6174	1.8487	127.94	1062.4
4.0	152.96	0.016358	90.63	90.64	120.92	1006.4	1127.3	0.2199	1.6428	1.8626	120.90	1060.2
3.0	141.47	0.016300	118.71	118.73	109.42	1013.2	1122.6	0.2099	1.6854	1.8864	109.41	1056.7
2.8892	140.0	0.016293	122.98	123.00	107.95	1014.0	1122.0	0.1985	1.6910	1.8895	107.94	1056.2
2.0	126.07	0.016230	173.74	173.76	94.03	1022.1	1116.2	0.1750	1.7450	1.9200	94.03	1051.8
1.6927	120.0	0.016204	203.25	203.26	87.97	1025.6	1113.6	0.1646	1.7693	1.9339	87.96	1049.9
1.0	101.74	0.016136	333.59	333.60	69.732	1036.1	1105.8	0.1326	1.8455	1.9781	69.73	1044.1
0.94924	100.0	0.016130	350.4	350.4	67.999	1037.1	1105.1	0.1295	1.8530	1.9825	68.00	1043.5
0.50683	80.0	0.016072	633.3	633.3	48.037	1048.4	1096.4	0.0932	1.9426	2.0359	48.036	1037.0
0.25611	60.0	0.016033	1207.6	1207.6	28.060	1059.7	1087.7	0.0555	2.0391	2.0946	28.060	1030.5
0.12163	40.0	0.016019	2445.8	2445.8	8.027	1071.0	1079.0	0.0162	2.1432	2.1594	8.027	1024.0
0.08865	32.018	0.016022	3302.4	3302.4	0.0003	1075.5	1075.5	0.0000	2.1872	2.1872	0.000	1021.3

Derived and Abridged from the 1967 ASME Steam Tables. Copyright 1967 by the American Society of Mechanical Engineers.



## SIVILARIN VE GAZLARIN ÖZGÜL AĞIRLIKLARI

LIQUID	SG	GAS	SG
Acetic Acid	1.06	Acetylene	0.92
Alcohol, Commercial	0.83	Air	1.0
Alcohol, Pure	0.79	Alcohol Vapor	1.60
Ammonia	0.89	Ammonia	0.59
Benzine	0.69	Carbon Dioxide	1.52
Carbolic Acid	0.96	Carbon Monoxide	0.97
Carbon Disulphide	1.26	Chlorine	2.42
Fluoric Acid	1.50	Ether Vapor	2.59
Gasoline	0.70	Ethylene	0.97
Kerosene	0.80	Hydrochloric Acid	1.26
Linseed Oil	0.94	Hydrofluoric Acid	2.37
Mineral Oil	0.92	Hydrogen	0.07
Muriatic Acid	1.20	Nitric Oxide	1.04
Naphtha	0.76	Nitrogen	0.97
Nitric Acid	1.50	Nitrous Oxide	1.53
Petroleum Oil	0.82	Oxygen	1.11
Phosphoric Acid	1.78	Sulphur Dioxide	2.25
Sulphuric Acid	1.84	Water Vapor	0.62
Turpentine Oil	0.87		
Vinegar	1.08		
Water, Sea	1.03		

## SICAKLIK DÖNÜŞÜM TABLOLARI

### FAHRENHAYT (Fahrenheit) VE SANTİGRAD (Centigrade)

#### BU TABLOYU NASIL KULLANABİLİRSİNİZ?

Çevirmek istediğiniz sıcaklığı orta kolonda bulunuz. Eğer, bu sıcaklık santigrad derece ise, bu sıcaklığın Fahrenheit değerini bulmak istiyorsanız, sağındaki değer Fahrenheit'tır. Eğer bu sıcaklık Fahrenheit derece ise, bu sıcaklığın Santigrad değerini bulmak istiyorsanız, solundaki değer Santigrad'dır.

ÖRNEK= 430°C → 806 Fahrenheit  
430°F → 221 Santigrad'dır.

C	★	F
221	430	806

C	°	F	C	°	F	C	°	F	C	°	F	C	°	F
-273.15	-459.67		-17.2	1	33.8	10.6	51	123.8	43	110	230	266	510	950
-268	-450		-16.7	2	35.6	11.1	52	125.6	49	120	248	271	520	968
-262	-440		-16.1	3	37.4	11.7	53	127.4	54	130	266	277	530	986
-257	-430		-15.6	4	39.2	12.2	54	129.2	60	140	284	282	540	1004
-251	-420		-15.0	5	41.0	12.8	55	131.0	66	150	302	288	550	1022
-246	-410		-14.4	6	42.8	13.3	56	132.8	71	160	320	293	560	1040
-240	-400		-13.9	7	44.6	13.9	57	134.6	77	170	338	299	570	1058
-234	-390		-13.3	8	46.4	14.4	58	136.4	82	180	356	304	580	1076
-229	-380		-12.8	9	48.2	15.0	59	138.2	88	190	374	310	590	1094
-223	-370		-12.2	10	50.0	15.6	60	140.0	93	200	392	316	600	1112
-218	-360		-11.7	11	51.8	16.1	61	141.8	99	210	410	321	610	1130
-212	-350		-11.1	12	53.6	16.7	62	143.6				327	620	1148
-207	-340		-10.6	13	55.4	17.2	63	145.4				332	630	1166
-201	-330		-10.0	14	57.2	17.8	64	147.2				338	640	1184
-196	-320		-9.4	15	59.0	18.3	65	149.0				343	650	1202
-190	-310		-8.9	16	60.8	18.9	66	150.8	100	212	413	349	660	1220
-184	-300		-8.3	17	62.6	19.4	67	152.6				354	670	1238
-179	-290		-7.8	18	64.4	20.0	68	154.4				360	680	1256
-173	-280		-7.2	19	66.2	20.6	69	156.2				366	690	1274
-169	-273	-459.4	-6.7	20	68.0	21.1	70	158.0				371	700	1292
-168	-270	-454	-6.1	21	69.8	21.7	71	159.8				377	710	1310
-162	-260	-436	-5.6	22	71.6	22.2	72	161.6	104	220	428	382	720	1328
-157	-250	-418	-5.0	23	73.4	22.8	73	163.4	110	230	446	388	730	1346
-151	-240	-400	-4.4	24	75.2	23.3	74	165.2	116	240	464	393	740	1364
-146	-230	-382	-3.9	25	77.0	23.9	75	167.0	121	250	482	399	750	1382

-140	-220	-364	-3.3	26	78.8	24.4	76	168.8	127	260	500	404	760	1400
-134	-210	-346	-2.8	27	80.6	25.0	77	170.6	132	270	518	410	770	1418
-129	-200	-328	-2.2	28	82.4	25.6	78	172.4	138	280	536	416	780	1436
-123	-190	-310	-1.7	29	84.2	26.1	79	174.2	143	290	554	421	790	1454
-118	-180	-292	-1.1	30	86.0	26.7	80	176.0	149	300	572	427	800	1472
-112	-170	-274	-0.6	31	87.8	27.2	81	177.8	154	310	590	432	810	1490
-107	-160	-256	0	32	89.6	27.8	82	179.6	160	320	608	438	820	1508
-101	-150	-238	0.6	33	91.4	28.3	83	181.4	166	330	626	443	830	1526
-95.6	-140	-220	1.1	34	93.2	28.9	84	183.2	171	340	644	449	840	1544
-90.0	-130	-202	1.7	35	95.0	29.4	85	185.0	177	350	662	454	850	1562
-84.4	-120	-184	2.2	36	96.8	30.0	86	186.8	182	360	680	460	860	1580
-78.9	-110	-166	2.8	37	98.6	30.6	87	188.6	188	370	698	466	870	1598
-73.3	-100	-148	3.3	38	100.4	31.1	88	190.4	193	380	716	471	880	1616
-67.8	-90	-130	3.9	39	102.2	31.7	89	192.2	199	390	734	477	890	1634
-62.2	-80	-112	4.4	40	104.0	32.2	90	194.0	204	400	752	482	900	1652
-56.7	-70	-94	5.0	41	105.8	32.8	91	195.8	210	410	770	488	910	1670
-51.1	-60	-76	5.6	42	107.6	33.3	92	197.6	216	420	788	493	920	1688
-45.6	-50	-58	6.1	43	109.4	33.9	93	199.4	221	430	806	499	930	1706
-40.0	-40	-40	6.7	44	111.2	34.4	94	201.2	227	440	824	504	940	1724
-34.4	-30	-22	7.2	45	113.0	35.0	95	203.0	232	450	842	510	950	1742
-28.9	-20	-4	7.8	46	114.8	35.6	96	204.8	238	460	860	516	960	1760
-23.3	-10	14	8.3	47	116.6	36.1	97	206.6	243	470	878	521	970	1778
-17.8	0	32	8.9	48	118.4	36.7	98	208.4	249	480	896	527	980	1796
			9.4	49	120.2	37.2	99	210.2	254	490	914	532	990	1814
			10.0	50	122.0	37.8	100	212.0	260	500	932	538	1000	1832

C	*	F	C	*	F	C	*	F	C	*	F
543	1010	1850	821	1510	2750	1099	2010	3650	1377	2510	4550
549	1020	1868	827	1520	2768	1104	2020	3668	1382	2520	4568
554	1030	1886	832	1530	2786	1110	2030	3686	1388	2530	4586
560	1040	1904	838	1540	2804	1116	2040	3704	1393	2540	4604
566	1050	1922	843	1550	2822	1121	2050	3722	1399	2550	4622
571	1060	1940	849	1560	2840	1127	2060	3740	1404	2560	4640
577	1070	1958	854	1570	2858	1132	2070	3758	1410	2570	4658
582	1080	1976	860	1580	2876	1138	2080	3776	1416	2580	4676
588	1090	1994	866	1590	2894	1143	2090	3794	1421	2590	4694
593	1100	2012	871	1600	2912	1149	2100	3812	1427	2600	4712
599	1110	2030	877	1610	2930	1154	2110	3830	1432	2610	4730
604	1120	2048	882	1620	2948	1160	2120	3848	1438	2620	4748
610	1130	2066	888	1630	2966	1166	2130	3866	1443	2630	4766
616	1140	2084	893	1640	2984	1171	2140	3884	1449	2640	4784
621	1150	2102	899	1650	3002	1177	2150	3902	1454	2650	4802
627	1160	2120	904	1660	3020	1182	2160	3920	1460	2660	4820
632	1170	2138	910	1670	3038	1188	2170	3938	1466	2670	4838
638	1180	2156	916	1680	3056	1193	2180	3956	1471	2680	4856
643	1190	2174	921	1690	3074	1199	2190	3974	1477	2690	4874
649	1200	2192	927	1700	3092	1204	2200	3992	1482	2700	4892
654	1210	2210	932	1710	3110	1210	2210	4010	1488	2710	4910
660	1220	2228	938	1720	3128	1216	2220	4028	1493	2720	4928
666	1230	2246	943	1730	3146	1221	2230	4046	1499	2730	4946
671	1240	2264	949	1740	3164	1227	2240	4064	1504	2740	4964
677	1250	2282	954	1750	3182	1232	2250	4082	1510	2750	4982
682	1260	2300	960	1760	3200	1238	2260	4100	1516	2760	5000
688	1270	2318	966	1770	3218	1243	2270	4118	1521	2770	5018
693	1280	2336	971	1780	3236	1249	2280	4136	1527	2780	5036
699	1290	2354	977	1790	3254	1254	2290	4154	1532	2790	5054
704	1300	2372	982	1800	3272	1260	2300	4172	1538	2800	5072
710	1310	2390	988	1810	3290	1266	2310	4190	1543	2810	5090
716	1320	2408	993	1820	3308	1271	2320	4208	1549	2820	5108
721	1330	2426	999	1830	3326	1277	2330	4226	1554	2830	5126
727	1340	2444	1004	1840	3344	1282	2340	4244	1560	2840	5144
732	1350	2462	1010	1850	3362	1288	2350	4262	1566	2850	5162
738	1360	2480	1016	1860	3380	1293	2360	4280	1571	2860	5180
743	1370	2498	1021	1870	3398	1299	2370	4298	1577	2870	5198
749	1380	2516	1027	1880	3416	1304	2380	4316	1582	2880	5216
754	1390	2534	1032	1890	3434	1310	2390	4334	1588	2890	5234
760	1400	2552	1038	1900	3452	1316	2400	4352	1593	2900	5252
766	1410	2570	1043	1910	3470	1321	2410	4370	1599	2910	5270
771	1420	2588	1049	1920	3488	1327	2420	4388	1604	2920	5288
777	1430	2606	1054	1930	3506	1332	2430	4406	1610	2930	5306
782	1440	2624	1060	1940	3524	1338	2440	4424	1616	2940	5324
788	1450	2642	1066	1950	3542	1343	2450	4442	1621	2950	5342
793	1460	2660	1071	1960	3560	1349	2460	4460	1627	2960	5360
799	1470	2678	1077	1970	3578	1354	2470	4478	1632	2970	5378
804	1480	2696	1082	1980	3596	1360	2480	4496	1638	2980	5396
810	1490	2714	1088	1990	3614	1366	2490	4514	1643	2990	5414
816	1500	2732	1093	2000	3632	1371	2500	4532	1649	3000	5432

# BAZI KİMYASALLARIN İLETKENLİK DEĞERLERİ

Akışkan tipi	Sıcaklık °C	İletkenlik $\mu\text{S/cm}$
Acetaldehyde (CH <sub>3</sub> CHO)	15	1,7
Acetamide (CH <sub>3</sub> CONH <sub>2</sub> )	100	< 4,3
Acetic Acid (CH <sub>3</sub> COOH)	0	0,005
Acetic Acid	25	0,01
Acetic Acid 70%*	25	250
Acetic anhydride ((CH <sub>3</sub> CO) <sub>2</sub> O)	0	1
Acetic anhydride	25	0,48
Acetone (CH <sub>3</sub> COCH <sub>3</sub> )	18	0,02
Acetonitrile (C <sub>2</sub> H <sub>3</sub> N)	20	7
Acetophenone (CH <sub>3</sub> COC <sub>6</sub> H <sub>5</sub> )	25	0,006
Acetyl Bromide	25	2,4
Acetyl Chloride (CH <sub>3</sub> COCl)	25	0,4
ADPIC Acid	170	0,3
ADPIC Acid	170	10
Adiazin (C <sub>6</sub> H <sub>4</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> O <sub>2</sub> N <sub>2</sub> )	233	1,45
Allyl Alcohol (CH <sub>2</sub> CHCH <sub>2</sub> OH)	25	7
Benzonitrile (C <sub>6</sub> H <sub>5</sub> CN)	25	0,05
Benzyl Alcohol (C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> OH)	25	1,8
Benzyl Benzoate (C <sub>6</sub> H <sub>5</sub> CO <sub>2</sub> CH <sub>2</sub> C <sub>6</sub> H <sub>5</sub> )	25	0,001
Benzylamine (C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> NH <sub>2</sub> )	25	0,017
Bitter Lemon	20	30000
Blackcurrant Juice (concentrated)	17,5	1000
B & P Syrup	20	250
Bromine (Br <sub>2</sub> )	17,2	0,13 x 10 <sup>-6</sup>
Bromobenzene (C <sub>6</sub> H <sub>5</sub> Br)	25	2 x 10 <sup>-5</sup>
Bromoform (CHBr <sub>3</sub> )	25	< 0,02
iso-Butyl Alcohol (i-C <sub>4</sub> H <sub>9</sub> OH)	25	0,06
Cadmium Sulphate Solution	20	34100
Capronitrile (C <sub>6</sub> H <sub>11</sub> N)	25	3,7
Carbon Disulphide (CS <sub>2</sub> )	1	7,8 x 10 <sup>-12</sup>
Carbon Sulury	78	20000
Carbon Tetrachloride (CCl <sub>4</sub> )	18	4 x 10 <sup>-12</sup>
Castor Oil	20	< 0,1
Chlorine (Cl <sub>2</sub> )	-70	< 1 x 10 <sup>-10</sup>
Chloroacetic acid (ClCH <sub>2</sub> COOH)	60	0,01
m- Chloroaniline (ClC <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> )	25	0,05
Chloroform (CHCl <sub>3</sub> )	25	0,02
Chlorohydrin	25	0,5
Chloroethylene	20	1,2
Chocolate, Milk (Milk)	45	0,002
Chromic Acid (CrO <sub>3</sub> ) 10%*	18	350000
Cider	21	2000
Com Liquor	20	0,17
Com Syrup	20	18
m- Cresol (CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> OH)	25	0,017
Cyanogen (CN) <sub>2</sub>	0	0,007
Cymene (CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> CH <sub>3</sub> )	25	0,02
Dichloroacetic Acid (Cl <sub>2</sub> CHCOOH)	25	0,07
Dichlorohydrin	25	12
Diethylamine ((C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> NH)	-33	0,002
Diethyl carbonate (OCOC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>	25	0,017
Diethyl oxalate ((CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> )	25	0,78
Diethyl Sulphate (C <sub>2</sub> H <sub>5</sub> OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub>	25	0,28
Dimethyl Sulphate ((CH <sub>3</sub> ) <sub>2</sub> SO <sub>2</sub> )	0	0,18
Egg (Whole)	20	5000
Egg (White)	20	8500
Egg (Yolk)	20	3500
Emulsion Paint (Sandax) with Pigment	20	1500
Emulsion Paint (Sandax) with Polymer Bond	20	1800
Epichlorohydrin (ClCH <sub>2</sub> CH <sub>2</sub> OH)	25	0,034
Ethanol	15	2250
Ethyl Alcohol 80% v/v with 20% v/v distilled water 15% w/v Aluminum powder	20	12
Ethyl Acetate (CH <sub>3</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> )	25	0,001
Ethyl acetoacetate (CH <sub>3</sub> COCH <sub>2</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> )	25	0,04
Ethyl Alcohol (CH <sub>3</sub> CH <sub>2</sub> OH)	25	0,0013
Ethylamine (C <sub>2</sub> H <sub>5</sub> NH <sub>2</sub> )	0	0,4
Ethyl Benzoate (C <sub>6</sub> H <sub>5</sub> CO <sub>2</sub> C <sub>2</sub> H <sub>5</sub> )	25	0,001
Ethyl Bromide (C <sub>2</sub> H <sub>5</sub> Br)	25	0,02
Ethylene Bromide (BrCH <sub>2</sub> CH <sub>2</sub> Br)	19	2 x 10 <sup>-4</sup>
Ethylene Chloride	25	0,03
Ethylene Diamine 91%*	20	95
Ethyl ether	25	0,04 x 10 <sup>-6</sup>
Ethylene chloride	25	0,017
Ethyl iodide (CH <sub>3</sub> CH <sub>2</sub> I)	25	0,02
Ethyl isothiocyanate (C <sub>2</sub> H <sub>5</sub> NS)	25	0,128
Ethyl Nitrate (C <sub>2</sub> H <sub>5</sub> ONO <sub>2</sub> )	25	0,53
Ethyl Thiocyanate	25	1,2
Eugenol (C <sub>6</sub> H <sub>5</sub> CH <sub>2</sub> CH(OH)CH <sub>3</sub> )	25	0,017
Formaldehyde 40%*	20	500
Formalin	55	42
Formamide (HCONH <sub>2</sub> )	25	4
Formic Acid (HCOOH)	18	99
Formic Acid	25	84
Formic Acid (all concentrations)	25	280
Furfural (C <sub>4</sub> H <sub>3</sub> OCHO)	25	1,5
Gallium	30	36800 x 10 <sup>-6</sup>
Gelatin Pure mixed with dist. water	50	10
Germanium tetra Bromide (Ge(Br) <sub>4</sub> )	30	78
Glacial Acetic Acid	20	0,5
Glucose 74% Solids	20	30
Glucose 74% Solids	59	270
Glucose 74% Solids	75	440
Glycerol Mono - Stearate	20	1500
Glycerol (CH <sub>2</sub> OH)CH(OH)CH <sub>2</sub> OH)	25	0,084
Glycol (CH <sub>2</sub> OH)CH <sub>2</sub> OH)	25	0,3
Guaicol (CH <sub>2</sub> OC <sub>6</sub> H <sub>4</sub> OH)	25	0,28
Heptane (CH <sub>3</sub> (CH <sub>2</sub> ) <sub>5</sub> CH <sub>3</sub> )	18	0,1 x 10 <sup>-6</sup>
Hexane (CH <sub>3</sub> (CH <sub>2</sub> ) <sub>4</sub> CH <sub>3</sub> )	18	1 x 10 <sup>-12</sup>
Hydrochloric Acid 9%* (HCl)	18	400000
Hydrochloric Acid (up to 40% by weight)	25	400000
Hydrogen Bromide (HBr)	50	0,008

Akışkan tipi	Sıcaklık °C	İletkenlik $\mu\text{S/cm}$
Hydrogen Cyanide (HCN)	0	3,3
Hydrogen Iodide (HI)	8P	0,2
Hydrogen Sulphide (H <sub>2</sub> S)	8P	10 x 10 <sup>-6</sup>
Iodine (I <sub>2</sub> )	110	1,3 x 10 <sup>-4</sup>
Kerosene	25	0,017
Lead Nitrate 10%* (Pb(NO <sub>3</sub> ) <sub>2</sub> )	15	32200
Lemon S / C	14	2250
Liquid Oxygen		0,1
Magnesium Sulphate (MgSO <sub>4</sub> )	18	49200
Magnesium Sulphate 25%*	25	26000
Mercury (Hg)	0	10629 x 10 <sup>6</sup>
Methyl acetate (CH <sub>3</sub> CO <sub>2</sub> CH <sub>3</sub> )	25	3,4
Methyl Alcohol (CH <sub>3</sub> OH)	18	0,44
Methyl ethyl ketone (CH <sub>3</sub> CO.C <sub>2</sub> H <sub>5</sub> )	25	0,1
Methyl iodide (CH <sub>3</sub> I)	25	0,02
Methyl nitrate (CH <sub>3</sub> ONO <sub>2</sub> )	25	4,5
Methyl thiocyanate (C <sub>2</sub> H <sub>5</sub> NS)	25	1,5
Molasses	20	500
Molasses	50	5000
Naphthalene (C <sub>10</sub> H <sub>8</sub> )	80	4 x 10 <sup>-4</sup>
Nitric Acid 10%* (HNO <sub>3</sub> )	18	500000
Nitrobenzene (C <sub>6</sub> H <sub>5</sub> NO <sub>2</sub> )	0	0,005
Nitroethane (CH <sub>3</sub> NO <sub>2</sub> )	18	0,8
O - or M - Nitrotoluene (CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NO <sub>2</sub> )	25	0,2
Nonane (CH <sub>3</sub> (CH <sub>2</sub> ) <sub>7</sub> CH <sub>3</sub> )	25	0,017
Octadecylamine	20	< 0,1
Oleic Acid (C <sub>18</sub> H <sub>34</sub> O <sub>2</sub> )	15	2 x 10 <sup>-4</sup>
Oleum with 10% free SO <sub>3</sub>	18	290
Oleum with 30% free SO <sub>3</sub>	18	130
Oleum with 60% free SO <sub>3</sub>		Virtually nil
Orange S / C	20	4000
Pentane (CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> CH <sub>3</sub> )	19,5	2 x 10 <sup>-4</sup>
Petroleum		0,3 x 10 <sup>-6</sup>
Phenoxide (C <sub>2</sub> H <sub>5</sub> O.C <sub>6</sub> H <sub>5</sub> )	25	0,017
Phenol	25	0,017
Phenol (C <sub>6</sub> H <sub>5</sub> OH)	70	0,75
Phenol	100	1
Phenyl isothiocyanate (C <sub>7</sub> H <sub>5</sub> NS)	25	1,4
Phosgene (OC <sub>2</sub> )	25	0,007
Phosphoric acid 87%*	25	50000
Phosphorus (P <sub>4</sub> )	25	0,4
Phosphorus oxychloride (POCl <sub>3</sub> )	25	2,2
Pine (C <sub>10</sub> H <sub>18</sub> )	25	2 x 10 <sup>-4</sup>
Piperidine (CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> NH)	25	0,2
Picramin A	20	2,5
Polyvinylacetate P.V.A.	20	300
Potassium Chloride KCl normal weight	18	98200
Potassium Chloride 0.1 normal %*	18	11200
Propionitrile (CH <sub>3</sub> CH <sub>2</sub> COOH)	25	0,85
Propionic acid (CH <sub>3</sub> CH <sub>2</sub> COOH)	25	0,001
Propionitrile (C <sub>3</sub> H <sub>5</sub> N)	25	0,1
n-Propyl alcohol (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> OH)	18	0,05
ISO-Propyl alcohol (iCH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> OH)	25	3,5
n-Propyl Bromide (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> Br)	25	0,02
Pyridine (CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> N)	18	0,053
Quinoline (C <sub>8</sub> H <sub>7</sub> N)	25	0,022
Salicylaldehyde (HO.C <sub>6</sub> H <sub>4</sub> CHO)	25	0,018
Sea Water (Salinity 1000PPM)	15	1500
Sodium Carbonate Solution	20	44000
Sodium Chloride 10%* (NaCl)	18	218100
Sodium Hydroxide 10%* (NaOH)	18	300000
Sodium Hydroxide 50%*	25	40000
Sodium Mono-Sulphide 9,54%* (Na <sub>2</sub> S)	18	201700
Sodium Silicate	18	2700
Sodium Sulphate 10%* (Na <sub>2</sub> SO <sub>4</sub> )	18	68700
Sodium Sulphide Solution	20	100000
Sulvanic Acid (CH <sub>3</sub> CH <sub>2</sub> SO <sub>2</sub> OH)	80	0,4 x 10 <sup>-6</sup>
Strontium Chloride 10%* (SrCl <sub>2</sub> )	18	88600
Strontium Nitrate 10%* (Sr(NO <sub>3</sub> ) <sub>2</sub> )	15	52700
Sugar Syrup	20	0,55
Sugar Syrup with Fruit Jams	20	950
Sulphonyl chloride (SO <sub>2</sub> Cl <sub>2</sub> )	25	2
Sulphur (S)	115	1 x 10 <sup>-6</sup>
Sulphur	440	0,12
Sulphur dioxide (SO <sub>2</sub> )	35	0,015
Sulphuric acid (H <sub>2</sub> SO <sub>4</sub> )	25	1500
Sulphuric acid	18	738800
Sulphuric acid 98.4%*	25	8500
Sulphuric chloride (SO <sub>2</sub> Cl <sub>2</sub> )	25	0,03
Tar	120	0,1
Tate & Lyle Syrup	20	250
Titanium Dioxide (TiO <sub>2</sub> )	18	400
Toluene (C <sub>6</sub> H <sub>5</sub> CH <sub>3</sub> )	20	1 x 10 <sup>-8</sup>
Toluene d-isocyanate	20	0,18
O - Toluene (CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> )	25	2
P - Toluene (CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> NH <sub>2</sub> )	100	0,062
Trichloroacetic Acid (Cl <sub>3</sub> CCOOH)	25	0,009
Trimethylamine ((CH <sub>3</sub> ) <sub>3</sub> N)	-33,5	0,0002
Turpentine		0,2 x 10 <sup>-6</sup>
Urea Formaldehyde Resin in Butyl Alcohol	18	0,1
Urea Formaldehyde Resin in Water	20	300
iso - Valeric Acid (iCH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> COOH)	80	0,4 x 10 <sup>-6</sup>
Vanilla Liquor	20	6250
Vincol	22	18000
Vincol	35	30000
Vodka (100% proof)	25	4
Water (H <sub>2</sub> O)	18	4
Water (Potable)	25	70
Xylene (C <sub>6</sub> H <sub>4</sub> (CH <sub>3</sub> ) <sub>2</sub> )		0,1 x 10 <sup>-6</sup>
Yeast Liquor	20	14000
Zinc Chloride 10%* (ZnCl <sub>2</sub> )	15	72700
Zinc Sulphate 10%* (ZnSO <sub>4</sub> )	18	32100

\*SOLUTION % BY WEIGHT

## BAZI KİMYASALLARIN VİSKOZİTE DEĞERLERİ

Akışkan tipi	Sıcaklık °C	Viskozite centipoises (cp)	Akışkan tipi	Sıcaklık °C	Viskozite centipoises (cp)
Acetaldehyde	25	0,25	Hydrazin	25	0,80
Acetanilide	125	2,22	Hydrogen, liq.		0,011
Acetic acid	25,2	1,158	Iodine, liq.	118	2,27
anhydride	18	0,90	Iodobenzene	15	1,74
Acetone	25	0,316	Iron, 2,5% carbon, liq.	1400	2,25
Acetonitrile	25	0,345	Isomyl acetate	19,51	0,872
Acetophenone	25	1,617	alcohol	10	6,20
Air, liq.	-192,3	0,172	amine	25	0,724
Allyl alcohol	20	1,363	Isobutyl alcohol	15	4,750
Allylamine	130	0,506	amine	25	0,553
Allyl chloride	30	0,300	Isobutyric acid	30	1,13
Ammonia	-33,5	0,255	Isocoumarol	25	26,72
n-Amyl acetate	11	1,53	Isocetene	25	0,384
alcohol	30	2,99	Isopentene	25	0,306
ether	15	1,188	Isopentane	20	0,223
Aniline	25	3,71	Isopropyl alcohol	30	1,77
Anisole	20	1,30	Isosquinoline	25	3,57
Antimony, liq.	645	1,55	Isosafrol	25	3,981
Benzaldehyde	25	1,38	Lead, liq.	380	2,58
Benzene	20	0,652	Menthol, liq.	55,5	6,29
Benzonitrile	25	1,24	Mercury	20	1,554
Benzophenone	55	4,79	Methyl acetate	20	0,381
Benzyl alcohol	20	5,8	Methyl alcohol (Methanol)	25	0,547
Benzylamine	25	1,59	Methyl amine	0	0,236
Benzylbenzene	33	2,18	aniline	25	2,00
Benzyl ether	20	5,33	chloride	20	0,1834
Bismuth	235	1,61	Methylene bromide	15	0,189
Bromine, liq.	28,9	0,911	chloride	15	0,449
o-Bromoaniline	40	3,19	Methyl iodide	20	0,503
m-Bromoaniline	20	6,81	Naphthalene	80	0,967
p-Bromoaniline	80	1,31	Nitric acid	0	2,275
Bromobenzene	30	0,965	Nitrobenzene	20	2,03
Bromoforn	25	1,89	Nitromethane	25	0,620
Butyl acetate	20	0,732	o-Nitrotoluene	20	2,37
n-Butyl alcohol	20	2,948	m-Nitrotoluene	20	2,30
sec-Butyl alcohol	15	4,21	p-Nitrotoluene	86	1,20
n-Butyl bromide	15	0,626	n-Norane	20	0,711
n-Butyl chloride	15	0,459	n-Octane	20	0,543
n-Butyl chloride, tertiary	15	0,543	Octadecane	40	2,86
n-Butyl formate	20	0,686	n-Octylalcohol	15	10,6
Butyric acid	20	1,540	Oil, castor	20	906
Cadmium, liq.	349	1,44	cottonseed	20	70,4
Carbon dioxide, liq., press. that of satur. vapor	20	0,071	cylinder, filtered	37,8	240,8
disulfide	20	0,363	cylinder, dark	37,8	422,1
Carbon tetrachloride	20	0,969	linseed	30	33,1
Cetyl alcohol	50	13,4	machine, light	15,6	113,8
Chlorine, liq.	0	0,265	machine, heavy	15,6	660,8
Chlorobenzene	20	0,799	olive	20	84
Chloroform	25	0,542	rape	20	163
o-Chlorophenol	25	4,11	soya bean	20	89,3
m-Chlorophenol	25	11,55	Oleic acid	30	25,5
p-Chlorophenol	50	4,99	Pentadecane	22	2,81
Copper, liq.	1085	3,38	Pentane	20	0,240
o-Cresol	40	4,49	p-Phenetidine	20	6,08
m-Cresol	20	20,3	m-Phenetidine	30	12,9
p-Cresol	40	7,50	p-Phenetidine	20	12,9
Cycloheptane	13,5	1,54	Phenol	18,3	12,7
Cyclohexane	17	1,02	Phenylcyanide	20	1,33
Cyclohexanol	20	63	Phosphorus, liq.	21,5	2,34
Cyclohexene	20	0,66	Potassium bromide, liq.	745	1,48
Cyclooctane	13,5	2,35	nitrate, liq.	334	2,1
Cycloolefine	13,5	0,493	Propionic acid	20	1,102
n-Decane	20	0,92	Propyl acetate	20	0,59
Diethylamine	25	0,345	n-Propyl alcohol	20	2,298
Diethylamine	25	1,95	Propyl aldehyde	20	0,41
Diethylcarbonol	15	7,34	bromide	20	0,524
Diethylketone	15	0,493	chloride	20	0,352
Dimethylamine	25	1,235	n-Propyl ether	15	0,448
Diphenyl	70	1,49	Pyridine	20	0,974
Diphenylamine	130	1,04	Salicylic acid	20	2,71
Dodecane	25	1,35	Selol	45	0,748
Ether ( diethyl )	25	0,222	Sodium bromide	762	1,42
Ethyl acetate	25	0,441	chloride, liq.	841	1,30
alcohol	30	1,003	nitrate, liq.	308	2,919
alcohol, anh.	-130	467	Steric acid	70	11,5
aniline	25	2,04	Sucrose ( cane sugar )	109	2,8 x 10 <sup>7</sup>
Ethylbenzene	17	0,691	Sulfur ( gas free )	123	10,94
benzoate	20	2,34	Sulfur dioxide, liq.	0,1	0,3608
bromide	20	0,402	Sulfuric acid	20	25,4
n-Ethyl butyrate	15	0,711	Tetrachloroethane	15	1,944
Ethyl carbonate	15	0,668	Tetradecane	20	2,18
Ethylene bromide	20	1,721	Tin, liq.	249	2,12
chloride	18,4	0,800	Toluene	20	0,590
glycol	20	19,8	o-Toluidine	20	4,36
oxide	0	0,320	m-Toluidine	20	3,81
Ethyl formate	20	0,402	p-Toluidine	50	1,80
iodide	20	0,592	Triacetin	17	28,00
nitrate	24,7	3,018	Tributyrin	20	11,60
oxalate	15	2,31	Trichloroethane	20	1,2
propionate	15	0,364	Tridecane	23,3	1,53
Eugenol	20	9,22	Triethylcarbonol	20	8,75
Fluorobenzene	20	0,598	Tripalmitin	70	95,8
Formamide	25	3,30	Triolearin	75	18,5
Formic acid	20	1,804	Turpentine	20	1,487
Furfural	25	1,49	Turpentine, verice	17,3	1,3 x 10 <sup>7</sup>
Glucose	22	9,1 x 10 <sup>7</sup>	n-Undecane	20	1,17
Glycerin	25	954	o-Xylene ( xybil )	20	0,810
Glycerin trinitrate	20	38	m-Xylene ( xybil )	20	0,820
Heptane	25	0,386	p-Xylene ( xybil )	20	0,848
n-Heptyl alcohol	15	8,53	Zinc, liq.	280	1,68
Hexadecane	20	3,34	Water ( Above 100 °C )	101	0,282
Hexane	25	0,294		110	0,265

# ÇEVİRİM FAKTÖRLERİ

## BU TABLOYU NASIL KULLANABİLİRSİNİZ =

Sol kenarda büyük harflerle listelenmiş birimlerden çevirmek istediğiniz birimi bulunuz. Sağ tarafta listelenmiş olan birimlerden hangisine çevirmek istiyorsanız, o biri-

me geliniz. Çevirmek istediğiniz birimin miktarı ile sol sütundaki çarpanı çarparak arzu ettiğiniz birim cinsinden değeri bulmuş olursunuz.

## ORNEK

### METRE - m (uzunluk)

$\times 10^6$	= Mm
$\times 10^3$	= mm
$\times 10^2$	= cm
$\times 10^{-3}$	= Km
$\times 39.370$	= in
$\times 3.2808$	= ft
$\times 1.0936$	= yd.
$\times 6.2137 \times 10^{-4}$	= mi, statute
$\times 5.3996 \times 10^{-4}$	= mi, nautical

3 metrenin ne kadar cm. olduğunu ve ne kadar inch yaptığını bulalım.

$3 \times 10^2$	= 300 cm.
$3 \times 39.370$	= 118.11 inch

**TÜRETİLEN BİRİMLER** = Pekçok birim, ana birimin 10'un kuvvetleri (örnek = Pa ve kPa) veya 60'ın faktörleri (örnek = ft / s, ft / min, ft / h) ile çarpılmış şeklidir. Genelde çevrim faktörleri sadece SI birimi veya kullanımı en kolay birim için yapılır.

Listede yer almamış birimleri türetmek için kestirme yöntemler vardır.

**NOT** = Yoğunluk söz konusu olduğu zaman, aşağıdaki sayılar baz alınır.

60 ° F'da su yoğunluğu	= 62.3707 lb / ft <sup>3</sup>
0 ° C' de civa yoğunluğu	= 13.5955 g / cm <sup>3</sup>

**ÖNEMLİ:** AŞAĞIDAKİ TABLO İNGİLİZCE VERİLMEKTEDİR. TEKNİK LİSANDA BİRÇOK BİRİM İNGİLİZCE ORJİNAL KELİMELERİ İLE KULLANILDIĞI İÇİN TEKNİK ARKADAŞLARA KOLAYLIK OLACAĞI DÜŞÜNÜLMÜŞTÜR. BU NEDENLE TÜRKÇEYE ÇEVİRİLMEMİŞTİR. ARADIĞINIZ BİRİMİ ALFABETİK SIRADA BULABİLİRSİNİZ.

### ACRES, U.S. Survey (area)

$\times 4.0469 \times 10^3$	= m <sup>2</sup>
$\times 4.3560 \times 10^4$	= ft <sup>2</sup>
$\times 1.5625 \times 10^{-3}$	= m <sup>2</sup>
$\times 0.4047$	= ha

### ATMOSPHERES, Standard at Sea Level Pressure — atm (pressure)

$\times 1.0132 \times 10^5$	= Pa*
$\times 14.696$	= psia
$\times 7.60 \times 10^2$	= mmHg at 0°C
$\times 29.921$	= inHg at 0°C
$\times 4.0716 \times 10^2$	= inH <sub>2</sub> O at 60°F
$\times 33.930$	= ftH <sub>2</sub> O at 60°F
$\times 1.0132$	= bars absolute
$\times 1.0332$	= kgf/cm <sup>2</sup> absolute

NOTE: Where a qualifying temperature is noted, the values for this unit vary with temperature.

### BARRELS, Petroleum — bbl (volume)

$\times 0.1590$	= m <sup>3</sup>
$\times 9.702 \times 10^3$	= in <sup>3</sup>
$\times 5.6148$	= ft <sup>3</sup>
$\times 42$	= gal, U.S.
$\times 34.972$	= gal, Imp.
$\times 1.5898 \times 10^2$	= L

### BARS (pressure)

$\times 10^5$	= Pa*
$\times 14.504$	= psi
$\times 7.5006 \times 10^2$	= mmHg at 0°C
$\times 29.530$	= inHg at 0°C
$\times 4.0184 \times 10^2$	= inH <sub>2</sub> O at 60°F
$\times 33.486$	= ftH <sub>2</sub> O at 60°F
$\times 0.9869$	= atm
$\times 10^3$	= mbar
$\times 1.0197$	= kgf/cm <sup>2</sup>

NOTE: Where a qualifying temperature is noted, the values for this unit vary with temperature.

### BRITISH THERMAL UNITS, International Table — Btu (energy)

$\times 1.054 \times 10^3$	= J*
$\times 2.929 \times 10^4$	= kW-h
$\times 3.928 \times 10^4$	= hp-h
$\times 0.252$	= kcal
$\times 7.780 \times 10^2$	= ft-lbf

NOTE: There are definitions of Btu other than the International Table, but they differ only past the third decimal place. If four or more decimal places are needed, refer to the appropriate handbook.

### BTU PER HOUR, International Table — Btu/h (power)

$\times 0.293$	= W*
$\times 1.667 \times 10^{-2}$	= Btu/min
$\times 3.93 \times 10^{-4}$	= hp
$\times 4.20 \times 10^{-3}$	= kcal/min
$\times 12.961$	= ft-lbf/min

NOTE: See note under Btu.

### BTU PER MINUTE, International Table — Btu/min (power)

NOTE: Multiply by 60 and refer to Btu Per Hour.

### CALORIES, International Table — cal (energy)

NOTE: Divide by 1000 and refer to Kilocalories.

### CENTARES — ca (area)

NOTE: Refer to Square Metres\*

### CENTIMETRES — cm (length)

NOTE: Divide by 100 and refer to Metres.\*

### CENTIMETRES OF MERCURY, at 0°C — cmHg (pressure)

NOTE: Multiply by 10 and refer to Millimetres of Mercury.

### CENTIMETRES PER SECOND — cm/s (velocity)

NOTE: Divide by 100 and refer to Metres Per Second.\*

\*Indicates proper SI unit

**CENTIPOISES — cP (absolute viscosity)**

NOTE: Divide by 100 and refer to Poises.

**GENTISTOKES — cSt (kinematic viscosity)**

NOTE: Divide by 100 and refer to Stokes.

**CUBIC CENTIMETRES — cm<sup>3</sup> (volume)**

$\times 10^6$	= m <sup>3</sup>
$\times 6.1024 \times 10^7$	= in <sup>3</sup>
$\times 3.5315 \times 10^7$	= ft <sup>3</sup>
$\times 3.3814 \times 10^7$	= oz. U. S. fluid
$\times 3.5195 \times 10^7$	= oz. imp. fluid
$\times 2.6417 \times 10^4$	= gal. U. S.
$\times 2.1997 \times 10^4$	= gal. imp.
$\times 10^3$	= L
$\times 2.1134 \times 10^2$	= pt
$\times 1.0567 \times 10^2$	= qt

**CUBIC CENTIMETRES PER SECOND — cm<sup>3</sup>/s (volume per unit time)**

$\times 10^6$	= m <sup>3</sup> /s
$\times 3.6614$	= in <sup>3</sup> /min
$\times 2.1189 \times 10^2$	= cfm
$\times 10^3$	= L/s
$\times 1.5850 \times 10^2$	= U. S. gpm
$\times 2.2824 \times 10^2$	= million U. S. gpd

**CUBIC FEET — ft<sup>3</sup> (volume)**

$\times 2.832 \times 10^2$	= m <sup>3</sup>
$\times 1.728 \times 10^3$	= in <sup>3</sup>
$\times 9.5751 \times 10^2$	= oz. U. S. fluid
$\times 9.9661 \times 10^2$	= oz. imp. fluid
$\times 7.4805$	= gal. U. S.
$\times 6.229$	= gal. imp.
$\times 28.317$	= L
$\times 0.1781$	= bbl

**CUBIC FEET PER HOUR — cfh (volume per unit time)**

NOTE: Divide by 60 and refer to Cubic Feet Per Minute.

**CUBIC FEET PER MINUTE — cfm (volume per unit time)**

$\times 4.7195 \times 10^4$	= m <sup>3</sup> /s
$\times 1.6990$	= m <sup>3</sup> /h
$\times 1.728 \times 10^3$	= in <sup>3</sup> /min
$\times 1.667 \times 10^2$	= cfs
$\times 60$	= cfm
$\times 0.4719$	= L/s
$\times 7.4805$	= U. S. gpm
$\times 1.0772 \times 10^2$	= million U. S. gpd

**CUBIC FEET PER SECOND — cfs (volume per unit time)**

NOTE: Multiply by 60 and refer to Cubic Feet Per Minute.

**CUBIC INCHES — in<sup>3</sup> (volume)**

$\times 1.6387 \times 10^6$	= m <sup>3</sup>
$\times 5.787 \times 10^4$	= ft <sup>3</sup>
$\times 0.5541$	= oz. U. S. fluid
$\times 0.5757$	= oz. imp. fluid
$\times 4.329 \times 10^2$	= gal. U. S.
$\times 3.505 \times 10^2$	= gal. imp.
$\times 1.639 \times 10^2$	= L

**CUBIC INCHES PER MINUTE — in<sup>3</sup>/min (volume per unit time)**

$\times 2.7312 \times 10^7$	= m <sup>3</sup> /s
$\times 5.787 \times 10^4$	= cfm
$\times 2.7312 \times 10^4$	= L/s
$\times 4.3290 \times 10^3$	= U. S. gpm

**\*CUBIC METRES — m<sup>3</sup> (volume)**

$\times 6.1024 \times 10^6$	= in <sup>3</sup>
$\times 35.315$	= ft <sup>3</sup>
$\times 3.3814 \times 10^4$	= oz. U. S. fluid
$\times 3.5195 \times 10^4$	= oz. imp. fluid
$\times 2.6417 \times 10^2$	= gal. U. S.
$\times 2.1997 \times 10^2$	= gal. imp.
$\times 10^3$	= L
$\times 6.2898$	= bbl

**CUBIC METRES PER HOUR — m<sup>3</sup>/h (volume per unit time)**

NOTE: Divide by 3600 and refer to Cubic Metres Per Second.\*

**CUBIC METRES PER MINUTE — m<sup>3</sup>/min (volume per unit time)**

NOTE: Divide by 60 and refer to Cubic Metres Per Second.\*

**\*CUBIC METRES PER SECOND — m<sup>3</sup>/s (volume per unit time)**

$\times 60$	= m <sup>3</sup> /min
$\times 3.600 \times 10^3$	= m <sup>3</sup> /h
$\times 10^6$	= cm <sup>3</sup> /s
$\times 2.1189 \times 10^2$	= cfm
$\times 10^3$	= L/s
$\times 15.850 \times 10^3$	= U. S. gpm
$\times 22.824$	= million U. S. gpd

**DEGREES, Angular — ° (plane angles)**

$\times 1.745 \times 10^2$	= rad
$\times 60$	= °, angular
$\times 3.600 \times 10^3$	= °, angular

**\*DEGREES CELSIUS — °C (temperature)**

$(C \times 9/5) + 32$	= °F
$C + 273.15$	= K
$(C \times 9/5) + 491.67$	= °R

NOTE: See also the Temperature Conversion Tables.

**DEGREES CENTIGRADE — see Degrees Celsius (temperature)****DEGREES FAHRENHEIT — °F (temperature)**

$(F - 32)/1.8$	= °C
$(F + 459.67)/1.8$	= K
$F + 459.67$	= °R

NOTE: See also the Temperature Conversion Tables.

**DEGREES KELVIN — see Kelvin (temperature)****DEGREES RANKINE — °R (temperature)**

$(R/1.8) - 273.15$	= °C
$R - 459.67$	= °F
$R/1.8$	= K

**DEGREES PER SECOND, Angular — °/s (angular velocity)**

$\times 1.7453 \times 10^2$	= rad/s
$\times 0.1667$	= r/min (rpm)

**DYNES (force)**

$\times 10^5$	= N
$\times 1.0197 \times 10^4$	= kgf
$\times 2.2481 \times 10^4$	= lbf

**FEET — ft (length)**

$\times 0.3048$	= m
$\times 12$	= in
$\times 0.3333$	= yd
$\times 1.894 \times 10^4$	= mi, statute
$\times 1.6458 \times 10^4$	= mi, nautical

**FEET OF WATER, at 60°F — ftH<sub>2</sub>O (pressure)**

$\times 2.9863 \times 10^2$	= Pa*
$\times 0.4331$	= psi
$\times 22.399$	= mmHg at 0°C
$\times 0.8818$	= inHg at 0°C
$\times 12$	= inH <sub>2</sub> O at 60°F
$\times 2.9473 \times 10^2$	= atm
$\times 2.9863 \times 10^2$	= bar
$\times 3.0452 \times 10^2$	= kg/cm <sup>2</sup>

NOTE: Where a qualifying temperature is noted, the values for this unit vary with temperature.

**FEET PER MINUTE — ft/min (velocity)**

$\times 5.0800 \times 10^{-2}$	= m/s*
$\times 1.6288 \times 10^{-2}$	= km/h
$\times 1.1364 \times 10^{-2}$	= mph
$\times 1.6667 \times 10^{-2}$	= ft/s
$\times 9.8750 \times 10^{-3}$	= kn

**FEET PER SECOND — ft/s (velocity)**

NOTE: Multiply by 60 and refer to Feet Per Minute.

**FEET PER SECOND SQUARED — ft/s<sup>2</sup> (acceleration)**

$\times 0.3048$	= m/s <sup>2</sup> *
-----------------	----------------------

**FOOT-POUNDS-FORCE — ft-lbf (energy)**

$\times 1.3558$	= J*
$\times 3.7662 \times 10^{-7}$	= kW-h
$\times 1.285 \times 10^{-3}$	= kWh
$\times 5.0505 \times 10^{-7}$	= hp-h
$\times 3.238 \times 10^{-4}$	= kcal

**FOOT-POUNDS-FORCE PER HOUR — ft-lbf/h (power)**

NOTE: Divide by 60 and refer to Foot-Pounds-Force Per Minute.

**FOOT-POUNDS-FORCE PER MINUTE — ft-lbf/min (power)**

$\times 2.2597 \times 10^{-2}$	= W*
$\times 7.716 \times 10^{-2}$	= Re, ft-h
$\times 3.030 \times 10^{-5}$	= hp
$\times 3.2405 \times 10^{-4}$	= kcal/min
$\times 60$	= ft-lbf/h
$\times 1.667 \times 10^{-2}$	= ft-lbf/s

\*Indicates proper SI unit

**FOOT-POUNDS-FORCE PER SECOND — ft-lb/s (power)**  
**NOTE: Multiply by 60 and refer to Foot-Pounds-Force Per Minute.**

**GALLONS, Imperial — gal (volume)**

$\times 4.546 \times 10^3$	= m <sup>3</sup>
$\times 2.774 \times 10^2$	= in <sup>3</sup>
$\times 0.1606$	= ft <sup>3</sup>
$\times 1.537 \times 10^2$	= oz, U. S. fluid
$\times 160$	= oz, imp. fluid
$\times 1.2009$	= gal, U. S.
$\times 4.546$	= L
$\times 2.859 \times 10^{-2}$	= bbl

**GALLONS, U. S. — gal (volume)**

$\times 3.7854 \times 10^3$	= m <sup>3</sup>
$\times 2.31 \times 10^2$	= in <sup>3</sup>
$\times 0.1337$	= ft <sup>3</sup>
$\times 128$	= oz, U. S. fluid
$\times 1.3323 \times 10^2$	= oz, imp. fluid
$\times 0.8327$	= gal, imp.
$\times 3.7854$	= L
$\times 8$	= qt
$\times 4$	= qt
$\times 2.3810 \times 10^{-2}$	= bbl

**GALLONS PER HOUR, U. S. — U. S. gph (volume per unit time)**  
**NOTE: Divide by 60 and refer to Gallons Per Minute, U. S.**

**GALLONS PER MINUTE, U. S. — U. S. gpm (volume per unit time)**

$\times 6.3090 \times 10^{-5}$	= m <sup>3</sup> /s
$\times 2.31 \times 10^2$	= in <sup>3</sup> /min
$\times 0.1337$	= cfm
$\times 60$	= U. S. gph
$\times 1.667 \times 10^{-2}$	= U. S. gps
$\times 6.309 \times 10^{-2}$	= L/s
$\times 1.4400 \times 10^{-3}$	= million U. S. gpd

**GALLONS PER SECOND, U. S. — U. S. gps (volume per unit time)**  
**NOTE: Multiply by 60 and refer to Gallons Per Minute, U. S.**

**GRAINS, Avoirdupois or Troy — gr (mass)**

$\times 6.480 \times 10^{-5}$	= kg*
$\times 6.480 \times 10^{-2}$	= g
$\times 2.2857 \times 10^{-3}$	= oz, av.
$\times 2.0833 \times 10^{-3}$	= oz, troy
$\times 1.4286 \times 10^{-4}$	= lb, av.
$\times 1.7361 \times 10^{-4}$	= lb, troy
$\times 4.1667 \times 10^{-2}$	= dwt

**GRAMS — g (mass)**

$\times 10^{-3}$	= kg*
$\times 3.5274 \times 10^{-2}$	= oz, av.
$\times 3.2151 \times 10^{-2}$	= oz, troy
$\times 2.2046 \times 10^{-3}$	= lb, av.
$\times 2.6792 \times 10^{-3}$	= lb, troy
$\times 15.432$	= gr
$\times 0.6430$	= dwt

**GRAMS PER CUBIC CENTIMETRE — g/cm<sup>3</sup> (mass per unit volume)**  
**NOTE: Divide by 1000 and refer to Kilograms Per Cubic Metre.\***

**GRAMS PER CUBIC METRE — g/m<sup>3</sup> (mass per unit volume)**  
**NOTE: Divide by 1000 and refer to Kilograms Per Cubic Metre.\***

**GRAMS PER LITRE (g/L) — see Kilograms Per Cubic Metre\* (mass per unit volume)**

**HECTARES — ha (area)**

$\times 10^4$	= m <sup>2</sup> *
$\times 3.861 \times 10^3$	= m <sup>2</sup>
$\times 2.4711$	= acre

**HORSEPOWER, Boiler — boiler hp (power)**

$\times 9.8095 \times 10^3$	= W*
$\times 3.3446 \times 10^4$	= Btu/h
$\times 13.1548$	= hp (mechanical)
$\times 1.407 \times 10^2$	= kcal/min
$\times 4.3411 \times 10^5$	= ft-lb/min

**HORSEPOWER, Mechanical — hp (power)**

$\times 7.457 \times 10^2$	= W*
$\times 2.543 \times 10^3$	= Btu/h
$\times 10.694$	= kcal/min
$\times 3.30 \times 10^4$	= ft-lb/min
$\times 1.0139$	= metric hp
$\times 7.6018 \times 10^{-2}$	= boiler hp

**NOTE: In most conversions, this is the type of horsepower assumed unless otherwise stated.**

**HORSEPOWER, Metric — metric hp (power)**

$\times 7.3550 \times 10^2$	= W*
$\times 2.51 \times 10^3$	= Btu/h
$\times 0.9863$	= hp (mechanical)
$\times 10.55$	= kcal/min

**HORSEPOWER-HOURS — hp-h (energy)**

$\times 2.6845 \times 10^6$	= J*
$\times 0.7457$	= kW-h
$\times 2.546 \times 10^3$	= Btu
$\times 6.416 \times 10^2$	= kcal
$\times 1.98 \times 10^6$	= ft-lb

**INCHES — in (length)**

$\times 2.54 \times 10^{-2}$	= m*
$\times 8.3333 \times 10^{-2}$	= ft
$\times 2.7778 \times 10^{-2}$	= yd
$\times 1.5783 \times 10^{-5}$	= mi, statute

**INCHES OF MERCURY, at 0°C — inHg (pressure)**

$\times 3.3864 \times 10^3$	= Pa*
$\times 0.4912$	= psi
$\times 25.4$	= mmHg at 0°C
$\times 13.608$	= inH <sub>2</sub> O at 60°F
$\times 1.1340$	= ftH <sub>2</sub> O at 60°F
$\times 3.3421 \times 10^{-2}$	= atm
$\times 3.3864 \times 10^{-2}$	= bar
$\times 3.4532 \times 10^{-2}$	= kgf/cm <sup>2</sup>

**NOTE: Where a qualifying temperature is noted, the values for this unit vary with temperature.**

**INCHES OF WATER, at 60°F — inH<sub>2</sub>O (pressure)**

$\times 2.4886 \times 10^2$	= Pa*
$\times 3.6094 \times 10^{-2}$	= psi
$\times 1.8666$	= mmHg at 0°C
$\times 7.3486 \times 10^{-2}$	= inHg at 0°C
$\times 8.333 \times 10^{-2}$	= ftH <sub>2</sub> O at 60°F
$\times 2.4560 \times 10^{-3}$	= atm
$\times 2.4886 \times 10^{-3}$	= bar
$\times 2.5377 \times 10^{-3}$	= kgf/cm <sup>2</sup>

**NOTE: Where a qualifying temperature is noted, the values for this unit vary with temperature.**

**\*JOULES — J (energy)**

$\times 2.778 \times 10^{-7}$	= kW-h
$\times 9.485 \times 10^{-4}$	= Btu
$\times 3.725 \times 10^{-7}$	= hp-h
$\times 2.390 \times 10^{-4}$	= kcal
$\times 0.7376$	= ft-lb

**KELVIN — K (temperature)**

K - 273.15	= °C*
1.8K - 459.67	= °F
1.8K	= °R

**KILOCALORIES, International Table — kcal (energy)**

$\times 4.184 \times 10^3$	= J*
$\times 1.1622 \times 10^{-3}$	= kW-h
$\times 3.9683$	= Btu
$\times 1.5586 \times 10^{-3}$	= hp-h
$\times 3.0860 \times 10^{-3}$	= ft-lb
$\times 10^3$	= cal

**KILOCALORIES PER MINUTE, International Table — kcal/min (power)**

$\times 69.733$	= W*
$\times 2.3810 \times 10^2$	= Btu/h
$\times 9.3514 \times 10^{-2}$	= hp
$\times 3.0860 \times 10^3$	= ft-lb/min

**\*KILOGRAMS — kg (mass)**

$\times 10^3$	= g
$\times 35.274$	= oz, av.
$\times 32.151$	= oz, troy
$\times 2.2046$	= lb, av.
$\times 2.6792$	= lb, troy
$\times 1.5432 \times 10^4$	= gr
$\times 6.4301 \times 10^2$	= dwt
$\times 9.8420 \times 10^{-4}$	= long ton
$\times 1.1023 \times 10^{-3}$	= short ton
$\times 10^{-3}$	= t

**\*KILOGRAMS PER CUBIC METRE — kg/m<sup>3</sup> (mass per unit volume)**

$\times 10^3$	= g/m <sup>3</sup>
$\times 10^{-3}$	= g/cm <sup>3</sup>
$\times 3.6127 \times 10^{-5}$	= lb/in <sup>3</sup>
$\times 8.3454 \times 10^{-3}$	= lb/U. S. gal
$\times 1.0022 \times 10^{-2}$	= lb/imp. gal
$\times 9.9908 \times 10^3$	= ppm inH <sub>2</sub> O at 60°F

\*Indicates proper SI unit

**KILOGRAMS PER HOUR** — kg/h (mass per unit time)  
NOTE: Divide by 3600 and refer to Kilograms Per Second.\*

**KILOGRAMS PER MINUTE** — kg/min (mass per unit time)  
NOTE: Divide by 60 and refer to Kilograms Per Second.\*

\* **KILOGRAMS PER SECOND** — kg/s (mass per unit time)  
× 1.3228 × 10<sup>2</sup> = lb/min  
× 60 = kg/min  
× 3.600 × 10<sup>3</sup> = kg/h

**KILOGRAMS-FORCE** — kgf (force)  
× 9.8067 = N\*  
× 2.2046 = lbf  
× 9.8067 × 10<sup>5</sup> = dynes

**KILOGRAMS-FORCE PER SQUARE CENTIMETRE** — kgf/cm<sup>2</sup> (pressure)  
× 9.8067 × 10<sup>4</sup> = Pa\*  
× 14.223 = psi  
× 7.3556 × 10<sup>2</sup> = mmHg at 0°C  
× 28.959 = inHg at 0°C  
× 3.9406 × 10<sup>2</sup> = inH<sub>2</sub>O at 60°F  
× 32.838 = ftH<sub>2</sub>O at 60°F  
× 0.9678 = atm  
× 0.9807 = bar

NOTE: Where a qualifying temperature is noted, the values for this unit vary with temperature.

**KILOGRAMS-FORCE TIMES METRES** — kgf × m (torque)  
× 9.8067 = N-m\*  
× 7.2330 = lbf × ft

**KILOMETRES** — km (length)  
NOTE: Multiply by 1000 and refer to Metres.\*

**KILOMETRES PER HOUR** — km/h (velocity)  
× 0.2778 = m/s\*  
× 0.6214 = mph  
× 54.681 = ft/min  
× 0.5400 = kn

**KILOPASCALS** — kPa (pressure)  
NOTE: Multiply by 1000 and refer to Pascals.\*

**KILOPONDS** — see Kilograms-force (force)

**KILOWATTS** — kW (power)  
NOTE: Multiply by 1000 and refer to Watts.\*

**KILOWATT-HOURS** — kW-h (energy)  
× 3.600 × 10<sup>6</sup> = J\*  
× 10<sup>3</sup> = W-h  
× 3.4096 × 10<sup>3</sup> = Btu  
× 1.3410 = hp-h  
× 8.5918 × 10<sup>2</sup> = kcal  
× 2.6552 × 10<sup>6</sup> = ft-lbf

**KNOTS, International** — kn (velocity)  
× 0.5144 = m/s\*  
× 1.852 = km/h  
× 1.1508 = mph  
× 1.0127 × 10<sup>2</sup> = ft/min

**LITRES** — L (volume)  
× 10<sup>-3</sup> = m<sup>3</sup>\*  
× 61.024 = in<sup>3</sup>  
× 3.5315 × 10<sup>-2</sup> = ft<sup>3</sup>  
× 33.814 = oz, U. S. fluid  
× 35.196 = oz, imp. fluid  
× 0.2642 = gal, U. S.  
× 0.2200 = gal, imp.  
× 6.2898 × 10<sup>-3</sup> = bbl

**LITRES PER SECOND** — L/s (volume per unit time)  
× 10<sup>-3</sup> = m<sup>3</sup>/s\*  
× 3.6614 × 10<sup>3</sup> = in<sup>3</sup>/min  
× 2.1189 = cfm  
× 15.850 = U. S. gpm  
× 2.2824 × 10<sup>-2</sup> = million U. S. gpd

**MEGAPASCALS** — MPa (pressure)  
NOTE: Multiply by 1 000 000 and refer to Pascals.\*

**MEGAWATTS** — MW (power)  
NOTE: Multiply by 1 000 000 and refer to Watts.\*

\* **METRES** — m (length)  
× 10<sup>6</sup> = μm  
× 10<sup>3</sup> = mm  
× 10<sup>2</sup> = cm  
× 10<sup>3</sup> = km  
× 39.370 = in  
× 3.2808 = ft  
× 1.0936 = yd  
× 6.2137 × 10<sup>-4</sup> = mi, statute  
× 5.3996 × 10<sup>-4</sup> = mi, nautical

**METRES PER MINUTE** — m/min (velocity)  
NOTE: Divide by 60 and refer to Metres Per Second.\*

\* **METRES PER SECOND** — m/s (velocity)  
× 60 = m/min  
× 10<sup>2</sup> = cm/s  
× 3.6 = km/h  
× 2.2369 = mph  
× 1.9685 × 10<sup>2</sup> = ft/min  
× 1.9438 = kn

\* **METRES PER SECOND SQUARED** — m/s<sup>2</sup> (acceleration)  
× 3.281 = ft/s<sup>2</sup>

**METRIC TONS** — see Tonnes (mass)

**MICROMETRES** — μm (length)  
× 1.000 × 10<sup>-6</sup> = m\*

**MICRONS** — see Micrometres (length)

**MILES, Statute** — mi (length)  
× 1.6093 × 10<sup>3</sup> = m\*  
× 6.3360 × 10<sup>4</sup> = in  
× 5.280 × 10<sup>3</sup> = ft  
× 1.760 × 10<sup>3</sup> = yd  
× 0.8690 = mi, nautical

**MILES, International Nautical** — mi (length)  
× 1.852 × 10<sup>3</sup> = m\*  
× 7.2913 × 10<sup>4</sup> = in  
× 6.0761 × 10<sup>3</sup> = ft  
× 2.0254 × 10<sup>3</sup> = yd  
× 1.1508 = mi, statute

**MILES PER HOUR, Statute** — mph (velocity)  
× 0.4470 = m/s\*  
× 1.6093 = km/h  
× 88 = ft/min  
× 0.8690 = kn

**MILLIBARS** — mbar (pressure)  
× 10<sup>-3</sup> = bars

**MILLILITRES** — see Cubic Centimetres (volume)

**MILLIMETRES** — mm (length)  
NOTE: Divide by 1000 and refer to Metres.\*

**MILLIMETRES OF MERCURY, at 0°C** — mmHg (pressure)  
× 1.3332 × 10<sup>2</sup> = Pa\*  
× 1.9337 × 10<sup>-2</sup> = psi  
× 0.10 = cmHg at 0°C  
× 3.9370 × 10<sup>-2</sup> = inHg at 0°C  
× 0.5357 = inH<sub>2</sub>O at 60°F  
× 4.4644 × 10<sup>-2</sup> = ftH<sub>2</sub>O at 60°F  
× 1.3158 × 10<sup>-3</sup> = atm  
× 1.3332 × 10<sup>-3</sup> = bar  
× 1.3595 × 10<sup>-3</sup> = kgf/cm<sup>2</sup>

NOTE: Where a qualifying temperature is noted, the values for this unit vary with temperature.

**MILLION GALLONS PER DAY, U. S.** — million U. S. gpd (volume per unit time)  
× 4.3813 × 10<sup>-2</sup> = m<sup>3</sup>/s\*  
× 1.6042 × 10<sup>3</sup> = in<sup>3</sup>/min  
× 92.834 = cfm  
× 43.813 = L/s  
× 6.9444 × 10<sup>2</sup> = U. S. gpm

**MINUTES, Angular** — ' (plane angles)  
× 2.9089 × 10<sup>-4</sup> = rad\*  
× 1.667 × 10<sup>-2</sup> = °, angular  
× 60 = °, angular

\* **NEWTONS** — N (force)  
× 0.1020 = kgf  
× 0.2248 = lbf  
× 10<sup>5</sup> = dynes

\*Indicates proper SI unit

**\*NEWTON-METRES — N m (torque)**

× 0.1020 = kgf × m  
 × 0.7376 = lbf × ft

**OUNCES, Avoirdupois — av. oz (mass)**

× 2.8350 × 10<sup>-2</sup> = kg\*  
 × 28.350 = g  
 × 0.9115 = oz, troy  
 × 0.0625 = lb, av.  
 × 7.590 × 10<sup>-2</sup> = lb, troy  
 × 4.375 × 10<sup>-2</sup> = gr  
 × 18.229 = dwt

**OUNCES, Fluid, Imperial — oz (volume)**

× 2.8412 × 10<sup>-5</sup> = m<sup>3</sup>  
 × 1.7339 = in<sup>3</sup>  
 × 1.0034 × 10<sup>-3</sup> = ft<sup>3</sup>  
 × 0.9608 = oz, U. S. fluid  
 × 7.5060 × 10<sup>-3</sup> = gal, U. S.  
 × 6.25 × 10<sup>-3</sup> = gal, imp.  
 × 2.8412 × 10<sup>-2</sup> = L

**OUNCES, Fluid, U. S. — oz (volume)**

× 2.9574 × 10<sup>-5</sup> = m<sup>3</sup>  
 × 1.8047 = in<sup>3</sup>  
 × 1.0444 × 10<sup>-3</sup> = ft<sup>3</sup>  
 × 1.0408 = oz, imp. fluid  
 × 7.8125 × 10<sup>-3</sup> = gal, U. S.  
 × 6.5053 × 10<sup>-3</sup> = gal, imp.  
 × 2.9573 × 10<sup>-2</sup> = L

**OUNCES, Troy — troy oz (mass)**

× 3.1103 × 10<sup>-2</sup> = kg\*  
 × 31.103 = g  
 × 1.0971 = oz, av.  
 × 8.3333 × 10<sup>-2</sup> = lb, troy  
 × 6.857 × 10<sup>-2</sup> = lb, av.  
 × 4.80 × 10<sup>-2</sup> = gr  
 × 20 = dwt

**PARTS PER MILLION, by weight (mass) in water at 60°F — ppm or ppm in H<sub>2</sub>O at 60°F (mass per unit volume)**

× 9.9908 × 10<sup>-8</sup> = kg/m<sup>3</sup>  
 × 3.6094 × 10<sup>-6</sup> = lb/in<sup>3</sup>  
 × 8.3377 × 10<sup>-6</sup> = lb/U. S. gal  
 × 1.0013 × 10<sup>-5</sup> = lb/imp. gal

**\*PASCALS — Pa (pressure)**

× 10<sup>-3</sup> = kPa  
 × 10<sup>-6</sup> = MPa  
 × 1.4504 × 10<sup>-4</sup> = psi  
 × 7.5006 × 10<sup>-3</sup> = mmHg at 0°C  
 × 2.9530 × 10<sup>-4</sup> = inHg at 0°C  
 × 4.0186 × 10<sup>-3</sup> = inH<sub>2</sub>O at 60°F  
 × 3.3488 × 10<sup>-4</sup> = ftH<sub>2</sub>O at 60°F  
 × 9.8692 × 10<sup>-6</sup> = atm  
 × 10<sup>-5</sup> = bar  
 × 1.0197 × 10<sup>-5</sup> = kgf/cm<sup>2</sup>  
 × 10 = dynes/cm<sup>2</sup>

NOTE: Where a qualifying temperature is noted, the values for this unit vary with temperature.

**PENNYWEIGHTS — dwt (mass)**

× 1.5552 × 10<sup>-3</sup> = kg\*  
 × 1.5552 = g  
 × 5.4857 × 10<sup>-2</sup> = oz, av.  
 × 5.00 × 10<sup>-2</sup> = oz, troy  
 × 3.4286 × 10<sup>-3</sup> = lb, av.  
 × 4.167 × 10<sup>-3</sup> = lb, troy  
 × 24 = gr

**PINTS, Fluid — pt (volume)**

× 4.7316 × 10<sup>-4</sup> = m<sup>3</sup>  
 × 28.875 = in<sup>3</sup>  
 × 1.671 × 10<sup>-2</sup> = ft<sup>3</sup>  
 × 16 = oz, U. S. fluid  
 × 16.653 = oz, imp. fluid  
 × 0.125 = gal, U. S.  
 × 0.1041 = gal, imp.  
 × 0.4732 = L  
 × 0.5 = qt

**POISES — P (absolute viscosity)**

× 0.1000 = Pa-s\*  
 × 100 = cP  
 × 2.0885 × 10<sup>-3</sup> = lbf-s/ft<sup>2</sup>  
 × 0.0672 = lb-ft-s

**POUNDS, Avoirdupois — lb (mass)**

× 0.4536 = kg\*  
 × 4.5359 × 10<sup>2</sup> = g  
 × 16 = oz, av.  
 × 14.583 = oz, troy  
 × 1.2153 = lb, troy  
 × 7.00 × 10<sup>3</sup> = gr  
 × 2.9167 × 10<sup>2</sup> = dwt  
 × 5.00 × 10<sup>-4</sup> = short ton  
 × 4.464 × 10<sup>-4</sup> = long ton  
 × 4.536 × 10<sup>-4</sup> = t

**POUNDS, Troy — lb (mass)**

× 0.3732 = kg\*  
 × 3.732 × 10<sup>2</sup> = g  
 × 12 = oz, troy  
 × 13.166 = oz, av.  
 × 0.8229 = lb, av.  
 × 5.760 × 10<sup>3</sup> = gr  
 × 2.40 × 10<sup>2</sup> = dwt  
 × 4.1143 × 10<sup>-4</sup> = short ton  
 × 3.6735 × 10<sup>-4</sup> = long ton  
 × 3.7324 × 10<sup>-4</sup> = t

**POUNDS PER CUBIC FOOT — lb/ft<sup>3</sup> (mass per unit volume)**

× 16.018 = kg/m<sup>3</sup>  
 × 5.787 × 10<sup>-4</sup> = lb/in<sup>3</sup>  
 × 0.1337 = lb/U. S. gal  
 × 0.1605 = lb/imp. gal  
 × 1.6033 × 10<sup>-4</sup> = ppm inH<sub>2</sub>O at 60°F

**POUNDS PER CUBIC INCH — lb/in<sup>3</sup> (mass per unit volume)**

× 2.7680 × 10<sup>2</sup> = kg/m<sup>3</sup>  
 × 1.728 × 10<sup>3</sup> = lb/ft<sup>3</sup>  
 × 2.31 × 10<sup>2</sup> = lb/U. S. gal  
 × 2.774 × 10<sup>2</sup> = lb/imp. gal  
 × 2.7705 × 10<sup>2</sup> = ppm inH<sub>2</sub>O at 60°F

**POUNDS PER HOUR — lb/h (mass per unit time)**

NOTE: Divide by 60 and refer to Pounds Per Minute.

**POUNDS PER IMPERIAL GALLON — lb/gal (mass per unit volume)**

× 99.776 = kg/m<sup>3</sup>  
 × 3.8047 × 10<sup>-3</sup> = lb/in<sup>3</sup>  
 × 0.8327 = lb/U. S. gal  
 × 9.9858 × 10<sup>-4</sup> = ppm inH<sub>2</sub>O at 60°F

**POUNDS PER MINUTE — lb/min (mass per unit time)**

× 7.5599 × 10<sup>-3</sup> = kg/s\*  
 × 1.667 × 10<sup>-2</sup> = lb/s  
 × 60 = lb/h

**POUNDS PER SECOND — lb/s (mass per unit time)**

NOTE: Multiply by 60 and refer to Pounds Per Minute.

**POUNDS PER U. S. GALLON — lb/gal (mass per unit volume)**

× 1.1983 × 10<sup>2</sup> = kg/m<sup>3</sup>  
 × 4.3290 × 10<sup>-3</sup> = lb/in<sup>3</sup>  
 × 1.2010 = lb/imp. gal  
 × 1.1994 × 10<sup>5</sup> = ppm inH<sub>2</sub>O at 60°F

**POUNDS-FORCE — lbf (force)**

× 4.4482 = N\*  
 × 0.4536 = kgf  
 × 4.4482 × 10<sup>5</sup> = dynes

**POUNDS-FORCE TIMES FEET — lbf × ft (torque)**

× 1.3558 = N-m\*  
 × 0.1383 = kgf × m

**POUNDS-FORCE PER SQUARE INCH — psi (pressure)**

× 6.895 × 10<sup>3</sup> = Pa\*  
 × 51.715 = mmHg at 0°C  
 × 2.036 = inHg at 0°C  
 × 27.705 = inH<sub>2</sub>O at 60°F  
 × 2.3088 = ftH<sub>2</sub>O at 60°F  
 × 6.8046 × 10<sup>-3</sup> = atm  
 × 6.895 × 10<sup>-8</sup> = bar  
 × 7.031 × 10<sup>-2</sup> = kgf/cm<sup>2</sup>

NOTE: Where a qualifying temperature is noted, the values for this unit vary with temperature.

\*Indicates proper SI unit

**QUARTS, Fluid — qt (volume)**

$\times 9.4635 \times 10^{-4}$	= m <sup>3</sup> *
$\times 57.75$	= in <sup>3</sup>
$\times 3.342 \times 10^{-2}$	= ft <sup>3</sup>
$\times 32$	= oz, U.S. fluid
$\times 33.31$	= oz, imp. fluid
$\times 0.25$	= gal, U.S.
$\times 0.2082$	= gal, imp.
$\times 0.9464$	= L

**\* RADIANS — rad (plane angles)**

$\times 57.296$	= °, angular
$\times 3.4377 \times 10^3$	= ', angular
$\times 2.0626 \times 10^5$	= ", angular

**\* RADIANS PER SECOND — rad/s (angular velocity)**

$\times 57.296$	= °/s
$\times 9.5493$	= r/min (rpm)

**REVOLUTIONS PER MINUTE — r/min (angular velocity)**

$\times 0.1047$	= rad/s*
$\times 6$	= °/s
$\times 1.667 \times 10^{-2}$	= r/s

NOTE: A common variation of the short form of this category is rpm.

**REVOLUTIONS PER SECOND — r/s (angular velocity)**

NOTE: Multiply by 60 and refer to Revolutions Per Minute.

**SECONDS, Angular — ° (plane angles)**

$\times 4.8481 \times 10^{-6}$	= rad*
$\times 2.778 \times 10^{-4}$	= ', angular
$\times 1.667 \times 10^{-2}$	= ", angular

**SQUARE CENTIMETRES — cm<sup>2</sup> (area)**

NOTE: Divide by 10 000 and refer to Square Metres.\*

**SQUARE FEET — ft<sup>2</sup> (area)**

$\times 9.2903 \times 10^{-2}$	= m <sup>2</sup> *
$\times 1.44 \times 10^3$	= in <sup>2</sup>
$\times 3.5870 \times 10^{-6}$	= mi <sup>2</sup>
$\times 2.2957 \times 10^{-3}$	= acre
$\times 9.29 \times 10^{-6}$	= ha

**SQUARE INCHES — in<sup>2</sup> (area)**

$\times 6.4516 \times 10^{-6}$	= m <sup>2</sup> *
$\times 6.944 \times 10^{-3}$	= ft <sup>2</sup>

**\* SQUARE METRES — m<sup>2</sup> (area)**

$\times 10^4$	= cm <sup>2</sup>
$\times 1.550 \times 10^3$	= in <sup>2</sup>
$\times 10.764$	= ft <sup>2</sup>
$\times 2.4711 \times 10^{-4}$	= acre
$\times 10^{-6}$	= ha
$\times 1$	= ca

**SQUARE MILES — mi<sup>2</sup> (area)**

$\times 2.5900 \times 10^6$	= m <sup>2</sup> *
$\times 6.40 \times 10^7$	= acre
$\times 2.5900 \times 10^8$	= ha

**STOKES — St (kinematic viscosity)**

$\times 10^{-4}$	= m <sup>2</sup> /s*
$\times 1.076 \times 10^{-3}$	= ft <sup>2</sup> /s
$\times 10^2$	= cSt

**TONNES — t (mass)**

$\times 10^3$	= kg*
$\times 2.2046 \times 10^3$	= lb. av.
$\times 2.679 \times 10^3$	= lb. troy
$\times 0.9842$	= long ton
$\times 1.1023$	= short ton

**TONS — long ton (mass)**

$\times 1.016 \times 10^3$	= kg*
$\times 2.240 \times 10^3$	= lb. av.
$\times 2.722 \times 10^3$	= lb. troy
$\times 1.120$	= short ton
$\times 1.016$	= t

**TONS — ton or short ton (mass)**

$\times 9.072 \times 10^2$	= kg*
$\times 2 \times 10^3$	= lb. av.
$\times 2.4306 \times 10^3$	= lb. troy
$\times 0.9829$	= long ton
$\times 0.9072$	= t

**TORR — see Millimetres of Mercury (pressure)****\* WATTS — W (power)**

$\times 10^{-3}$	= kW
$\times 10^{-6}$	= MW
$\times 3.414$	= Btu/h
$\times 1.3410 \times 10^{-3}$	= hp
$\times 1.432 \times 10^{-2}$	= kcal/min
$\times 44.2357$	= ft-lbf/min*

**WATT-HOURS — W·h (energy)**

NOTE: Divide by 1000 and refer to Kilowatt-hours.

**YARDS — yd (length)**

$\times 0.9144$	= m*
$\times 36$	= in
$\times 3$	= ft
$\times 5.682 \times 10^{-4}$	= mi, statute
$\times 4.937 \times 10^{-4}$	= mi, nautical

\*Indicates proper SI unit